


**CAPITAL
LIGHTING**

 901 Polaris Parkway
Columbus, OH 43240-2035

www.capitalightinginc.com

 614-841-1200
Fax: 614-841-0826

sales@capitalightinginc.com


7 832091 188670



LED Three Light Outdoor Post Lantern



Item ID: **046572**
 MFG #: **55021CDBZ**
 Manufacturer: **Maxim**
 Finish: **Bronze**
 Collection: **Dover LED**
 Width: **9.25"**
 Height: **21.00"**
 Length: **9.25"**



Bulbs

Qty.	Type	Base	Watt	Incl.	Source	LM.	CCT	CRI	Avg. Life	Dim	Beam
1	-	PCB Board	12.00 W	-	LED	-	3000 K	80 CRI	-	-	-

Details

Safety Listing: **Wet**
 Glass: **Seedy**
 Weight: **4.47 lb**
 UPC: **783209118867**

[< Landscape \(/outdoor/LANDSCAPE\)](#)

Lighting for pathways of all shapes and sizes.

Three lumen packages with up to 360° coverage.

[Top ↑](#)

LED BOLLARDS

LED Wallpacks



Ordering Matrix

Top ↑

↓ Product PDF
(/cockpit/storage/media/BLED®/bollards_datasheet.pdf)

Lighting Layout > (/lightingdesign)

24W18W12W

5100K
Cool
▼
2,546
Lumens

23
Input Watts

110
lm/W

74
CRI

4000K
Neutral
▼
2,577
Lumens

23
Input Watts

111
lm/W

72
CRI

3000K
Warm
▼
2,174
Lumens

23
Input Watts

95
lm/W


84
CRI

Replaces Up To
50W
Metal Halide (MH)

Up To
64%
In Energy Savings

Finishes

Top ↑



Multiples of Fixture Height (3.5') - Values shown in Footcandles

Lighting for pathways of all shapes and sizes.

Available in 24W, 18W & 12W versions to provide 360°, 270°, 180° & 90° lighting patterns.

[Top ↑](#)



Top ↑

New dome top option.

The BLED's sleek, round models are now available with the classic, popular dome top design.



No Glare.

Precision-engineered optics deliver maximum downward lighting without glare.

[Top ↑](#)



Easily upgrade to LED.

Retrofit adapter available so you can replace existing bollards with LED.

[Top ↑](#)



Precision Installation.

Four leveling screws make it easy to fine tune mounting adjustments on uneven surfaces.



Top ↑

Seriously heavy duty.

New dome top option, designed for super-sturdy installation, BLEED will stand up to almost anything. Polycarbonate lens is durable and vandal resistant.




Battery backup option.

Emergency lighting supplies power for 90 minutes without having to wire an external backup system. (24W LED bollards only)


BDLEDR (Round Dome)

Weight: 11.4 lbs.




BLEDR (Round)

Weight: 11.4 lbs.




BLEDS (Square)

Weight: 11.4 lbs.




WBLEDR

Weight: 15 lbs.



WBLED

Weight: 14 lbs.




Build Your Light

Select all the options below to build your light.

0 OF 7 SELECTED

 Reset All

Top ↑



FAMILY	WATTAGE	COLOR TEMP	FINISH	DISTRIBUTION
BDLEDR	Select	Select	Select	Select
BDLEDR	24W 360° Pattern 24	5000K Cool	Bronze Blank	Standard Blank
BLED	18W 270° Pattern 18	4000K Neutral	White W	180 degrees 12W only
BLEDR	12W 12	3000K Warm		

Support

Contact Customer Service, Tech Support or Lighting Applications with your support questions.

Online Support

Talk with the Support team to get help weekdays during business hours.

[Start Chat >](#)

Send a message

Send us a note and a RAB Support team member will help you as soon as possible.

[Send a Message >](#) (/support)

Give us a call

Send us a note and a RAB Support team member will help you as soon as possible.

[Call Us >](#) (tel:+18887221000)

[Top ↑](#)



(mailto:custserv@rablighting.com)

Contact us

A RAB support representative will respond soon.

Send a message > (mailto:custserv@rablighting.com)



(/lightingdesign)

Lighting Design

Our lighting designers can help you create a custom layout.

Request Lighting Layout > (/lightingdesign)



(/dlc)

DesignLights Consortium®

Find DLC qualified products.

Learn More > (/dlc)

Top ↑



(/feature/lightcloud-di)

Lightcloud™

It's powerful and flexible, yet easy to use and install.

[Learn More >](#) (/feature/lightcloud-di)

RAB

Indoor



Outdoor



Controls



New Releases



© 2018 RAB Lighting Inc. All rights reserved.

[About \(/about\)](#)[Careers \(/careers\)](#)[Affiliations \(/affiliations\)](#)[Legal \(/legal\)](#)

Top ↑